



M/Y BONA VITA EST

The Wajer 55 S M/Y BONA VITA delivers a masterful balance of performance and luxury, ideal for both spirited day trips and extended cruising. At 16.83 m length and 4.40 m beam, she is powered by triple Volvo Penta IPS-650 D6-480 engines, achieving a 38-knot top speed and a comfortable 28-knot cruise, with a 400-nautical-mile range. Designed by Vripack and Sinot, her deep-V hull ensures stability and agility. The layout features a sleek center-console design, outdoor galley with grill and fridge, full master cabin with ensuite, twin guest berths, and hydraulic swim platform—delivering versatility, comfort, and innovation without compromise.

MAIN FEATURES

BUILDER	WAJER	MODEL	55S
TYPE	Motor Yachts	HULL TYPE	Planing
BOAT NAME	BONA VITA	YEAR	2022 delivered in June 2023
CONSTRUCTION MATERIAL	Fiberglass - VTR	LOA	16.83 [m] - 55.2 [ft]
BEAM	4.42 [m] - 14.5 [ft]	DRAFT	1.22 [m] - 4 [ft]
ENGINES	3x VOLVO PENTA IPS-650	CRUISING SPEED	28 [kn]
MAX SPEED	38 [kn]	N° GUEST CABIN	2
ENGINE HOURS	38	N. TOILETS	1
DISPLACEMENT	21.555 [kg]	ON DISPLAY AT/IN	Cyprus
COUNTRY	Cyprus	FLAG	British
ASKING PRICE	2,190,000.00 [euro]	VAT STATUS	Paid

Deck:

- Composite vacuum infused deck treated with an acrylic urethane coating.
- Electric windlass with 60 metres (diam.8mm) duplex (Saf 2205) chain and 25kg Delta anchor on the swing-over arm.
- Bow storage/anchor locker with two (2) hatches incl. gas struts.
- GRP gunwale sprayed in the colour of the hull.
- Six (6) retractable cleats 10" stainless steel 316 (2x aft, 2x amidships, 2x forward).
- Two (2) custom-built retractable cleats 14", manually operated
- Ten (10) stainless steel pop-up fender eyes.
- Williams MiniJet 280 tender with quick release system in aft.
- Gyro stabiliser system (Quick MC2X-16K)
- Extended hydraulic swim platform
- Retractable swim ladder (CE cat. B requirement).

Cockpit:

- "Edgy" design windshield, on stainless steel framing, toughened and tinted laminated glass.
- Four (4) forward-facing custom-made captain's chairs.
- Padded sofa with storage underneath.
- Electrical European + USB outlets.
- One (1) console with fridge, sink, grill, dust bin and three drawers.
- Electric, in-height adjustable table with cupholders.

Cabin:

- One (1) double bed in the forward cabin (dimensions: L=2150mm x W(max)=1850mm).
- Two (2) single beds in the aft cabin (dimensions: L=1929mm x W(max)= 1123mm).
- Toilet (electric) at starboard side, connected to a black water tank.
- Separate shower on the starboard side with handheld shower and wash basin.
- Electrical European.
- Air-conditioning heating/cooling.
- Galley.
- Icemaker.
- Refrigerator.
- Nespresso coffee machine.

Navigation:

Garmin glass bridge system and twin touch screens (16") at the helm. All gauges are digital.

This equipment package includes:

- Satellite navigation.
- Volvo Penta Compass.
- Victron Battery monitoring within Yachtcontrol integration.
- Echo Sounder.
- Autopilot.
- Rudder angle indicator.
- VHF.
- FLIR nightvision camera.

Digital switching (of navigation lights, pumps etc.) and monitoring (tank levels etc.) on touch screen(s) by means of programmable EmpirBus controllers. One (1) 10" display in the corridor providing every conceivable type of information or controls (intuitive to operate).

Power and drive systems:

- Three (3) Volvo Penta IPS 650 / Volvo D6 / Dual props, counter-rotating, 480 hp / 3,500 rpm.
- Volvo Penta Dynamic Position System (DPS).
- Three (3) 80 Amp alternators for starter batteries and three 80-Amp for service batteries.
- Electric steering gear and joystick engine operation.
- Interceptors with automatic trim system and angle indicators.
- Seven (7) AGM Optima start batteries stationary cell structure 50Ah – CCA 800 Amp.
- Eight (8) AGM-Power 12V 250Ah absorbed glass matt service batteries.
- Victron battery charger and converter Quattro 24/8000/200.
- Northern Lights 7 KW diesel generator sound shielded with water-cooled silenced exhaust.

The service batteries are dimensioned to permit silent operation for up to 4 hours, while the yacht is anchored and people swim.

Fuel system:

- 2368-litre polyethene fuel tank with fuel gauge
- Water separator dual fuel filters for each engine .

Water system:

- 418-litre polyethene freshwater tank with level indicator.
- 80-litre polyethene black water tank with level indicator, overboard and deck extractor.
- Grey water sump tank for shower/sinks/refrigerator- and air-conditioning condensation water.
- Hot water from 75-litre boiler electric/engine.
- Water pressure from electric pump.
- Aft shower (hot/cold) neatly stowed.
- Deck wash (hot/cold fresh water) with a 20-metre hose in the front locker.

Heating and cooling:

Webasto air-conditioning system with heating function. The total capacity of the chiller is 13.000 BTU. Please note; When air-conditioning is running, the power supply by the generator

Lighting:

- Navigation lights.
- Top light on top of the wing.
- Indirect (dimnable) strip lighting on flooring back rests in the cockpit.
- Indirect (dimnable) strip lighting on flooring
- Six (6) underwater lights (2 mounted at the stern and two mounted on each side).

Detailing and finishing:

- Deck, cockpit soles, hatches and interior soles are finished with synthetic decking
- Walls, doors, cupboards interior; satin or high gloss white finish.

-
- | | |
|------------------|-------------------------------------|
| • Main generator | Northern Light 7KW diesel generator |
|------------------|-------------------------------------|
-

Disclaimer

BROKERS offer the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. Pictures of the vessel may be taken from the catalogue. This document does not represent in any case a contractual term.



